



VST2215 / POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST2215

Finish	Powdercoated Steel
Material	Powdercoated Steel
IP Rating	IP66
IK Rating	IK10
Mounting	Surface
Number of Locks	One
Material Colour	Grey
Supplied with	1 x 2mm Steel Mounting Plate (215 x 150mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
FITTING DIMENSIONS	
Overall Size (H x W x D)	250 x 200 x 150mm
Mounting Plate to Door Depth	134mm
Door Opening Degree	125°



VST3215/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST3215

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	One
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (265 x 200mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	300 x 250 x 150mm
--------------------------	-------------------

Mounting Plate to Door Depth	134mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST3315/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST3315

Finish	Powdercoated Steel
Material	Powdercoated Steel
IP Rating	IP66
IK Rating	IK10
Mounting	Surface
Number of Locks	One
Material Colour	Grey
Supplied with	1 x 2mm Steel Mounting Plate (265 x 250mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D)	300 x 300 x 150mm
Mounting Plate to Door Depth	134mm
Door Opening Degree	125°



VST4320/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST4320

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	One
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Mounting Plate (365 x 250mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	400 x 300 x 200mm
--------------------------	-------------------

Mounting Plate to Door Depth	184mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST4420/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST4420

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	One
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (365 x 350mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	400 x 400 x 200mm
--------------------------	-------------------

Mounting Plate to Door Depth	184mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST5420/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST5420

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	One
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (465 x 350mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Lead (2.5mm ² - 165mm - 6mm ring terminals)
---------------	--

FITTING DIMENSIONS

Overall Size (H x W x D)	500 x 400 x 200mm
--------------------------	-------------------

Mounting Plate to Door Depth	184mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST5430/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST5430

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with
1 x 2mm Steel Mounting Plate (465 x 350mm)
1 x Bit Lock (3mm)
1 x Lock Handle
4 x Plastic Bungs
1 x Earth Lead with Label (2.5mm² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D) 500 x 400 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°



VST5525/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST5525

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	One
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (465 x 450mm) 1 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	500 x 500 x 250mm
--------------------------	-------------------

Mounting Plate to Door Depth	234mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST6425/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST6425

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	Two
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (565 x 350mm) 2 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	600 x 400 x 250mm
--------------------------	-------------------

Mounting Plate to Door Depth	234mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST6620/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST6620

Finish	Powdercoated Steel
Material	Powdercoated Steel
IP Rating	IP66
IK Rating	IK10
Mounting	Surface
Number of Locks	Two
Material Colour	Grey
Supplied with	1 x 2mm Steel Mounting Plate (565 x 550mm) 2 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D)	600 x 600 x 200mm
Mounting Plate to Door Depth	184mm
Door Opening Degree	125°



VST6630/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST6630

Finish	Powdercoated Steel
Material	Powdercoated Steel
IP Rating	IP66
IK Rating	IK10
Mounting	Surface
Number of Locks	Two
Material Colour	Grey
Supplied with	1 x 2mm Steel Mounting Plate (565 x 550mm) 2 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D)	600 x 600 x 300mm
Mounting Plate to Door Depth	284mm
Door Opening Degree	125°



VST7525/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST7525

Finish	Powdercoated Steel
--------	--------------------

Material	Powdercoated Steel
----------	--------------------

IP Rating	IP66
-----------	------

IK Rating	IK10
-----------	------

Mounting	Surface
----------	---------

Number of Locks	Two
-----------------	-----

Material Colour	Grey
-----------------	------

Supplied with	1 x 2mm Steel Mounting Plate (665 x 450mm) 2 x Bit Lock (3mm) 1 x Lock Handle 4 x Plastic Bungs 1 x Earth Lead with Label (2.5mm ² - 165mm - 6mm ring terminals)
---------------	---

FITTING DIMENSIONS

Overall Size (H x W x D)	700 x 500 x 250mm
--------------------------	-------------------

Mounting Plate to Door Depth	234mm
------------------------------	-------

Door Opening Degree	125°
---------------------	------



VST CABINET RANGE

VST8630/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST8630

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with
1 x 2mm Steel Mounting Plate (765 x 550mm)
2 x Bit Lock (3mm)
1 x Lock Handle
4 x Plastic Bungs
1 x Earth Lead with Label (2.5mm² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D) 800 x 600 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°



VST CABINET RANGE

VST10830/ POWDERCOATED STEEL CABINET

FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

VST10830

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Three

Material Colour Grey

Supplied with
1 x 2mm Steel Mounting Plate (965 x 750mm)
3 x Bit Lock (3mm)
1 x Lock Handle
4 x Plastic Bungs
1 x Earth Lead with Label (2.5mm² - 165mm - 6mm ring terminals)

FITTING DIMENSIONS

Overall Size (H x W x D) 1000 x 800 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°