

## VST CABINET RANGE

# VST2215 / POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST2215

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (215 x 150mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 200 x 200 x 150mm

Mounting Plate to Door Depth 134mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST3215/ POWDERCOATED STEEL CABINET

### FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST3215

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (265 x 200mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 300 x 250 x 150mm

Mounting Plate to Door Depth 134mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST3315/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST3315

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (265 x 250mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 300 x 300 x 150mm

Mounting Plate to Door Depth 134mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST4320/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST4320

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with

- 1 x 2mm Mounting Plate (365 x 250mm)
- 1 x Bit Lock (3mm)
- 1 x Lock Handle
- 4 x Plastic Bungs
- 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 400 x 300 x 200mm

Mounting Plate to Door Depth 184mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST4420/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST4420

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey


Supplied with  
 1 x 2mm Steel Mounting Plate (365 x 350mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 400 x 400 x 200mm

Mounting Plate to Door Depth 184mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST5420/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST5420

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey


Supplied with  
 1 x 2mm Steel Mounting Plate (465 x 350mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Lead (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 500 x 400 x 200mm

Mounting Plate to Door Depth 184mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST5430/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST5430

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (465 x 350mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 500 x 400 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST5525/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST5525

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks One

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (465 x 450mm)  
 1 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 500 x 500 x 250mm

Mounting Plate to Door Depth 234mm

Door Opening Degree 125°





## VST CABINET RANGE

# VST6425/ POWDERCOATED STEEL CABINET

### FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST6425

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (565 x 350mm)  
 2 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 600 x 400 x 250mm

Mounting Plate to Door Depth 234mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST6620/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST6620

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (565 x 550mm)  
 2 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 600 x 600 x 200mm

Mounting Plate to Door Depth 184mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST6630/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST6630

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (565 x 550mm)  
 2 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 600 x 600 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST7525/ POWDERCOATED STEEL CABINET

### FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST7525

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (665 x 450mm)  
 2 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 700 x 500 x 250mm

Mounting Plate to Door Depth 234mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST8630/ POWDERCOATED STEEL CABINET

### FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST8630

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Two

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (765 x 550mm)  
 2 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 800 x 600 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°



## VST CABINET RANGE

# VST10830/ POWDERCOATED STEEL CABINET

## FEATURES

- IP66
- IK10
- Powdercoated Steel Finish
- Lockable

### VST10830

Finish Powdercoated Steel

Material Powdercoated Steel

IP Rating IP66

IK Rating IK10

Mounting Surface

Number of Locks Three

Material Colour Grey

Supplied with  
 1 x 2mm Steel Mounting Plate (965 x 750mm)  
 3 x Bit Lock (3mm)  
 1 x Lock Handle  
 4 x Plastic Bungs  
 1 x Earth Lead with Label (2.5mm<sup>2</sup> - 165mm - 6mm ring terminals)

### FITTING DIMENSIONS

Overall Size (H x W x D) 1000 x 800 x 300mm

Mounting Plate to Door Depth 284mm

Door Opening Degree 125°