



GARCIA RANGE

P66 / GARCIA DUAL COLOUR LED PANEL

FEATURES

- Dual Colour (4000K/5700K)
- PMMA Light Guide Plate
- CRI 80+
- 120° Beam Angle
- 5 Year Warranty

P66

Finish Colour	White
Lumen Output	3600-3900lm
Power	33W
Efficacy	115lm/W
Input Voltage	220-240V AC
Color Temperature	4000K/5700K
Dimming	No
UGR	22
CRI	80+
Construction Material	Aluminium
Operating Temperature	-20°C to +45°C
IP Rating	IP40
Class	Class 2
Beam Angle	120°
Approvals & Certificates	SAA, EMC (Driver Only)
LED Lifetime	40,000hrs
Includes	1m Flex & Plug
Flicker Free	Yes
Overall Dimensions (HxWxD)	595 x 595 x 9mm

P126 / GARCIA DUAL COLOUR LED PANEL

FEATURES

- Dual Colour (4000K/5700K)
- PMMA Light Guide Plate
- CRI 80+
- 120° Beam Angle
- 5 Year Warranty

P126	
Finish Colour	White
Lumen Output	6600-7000lm
Power	60W
Efficacy	115lm/W
Input Voltage	220-240V AC
Color Temperature	4000K/5700K
Dimming	No
UGR	22
CRI	80+
Construction Material	Aluminium
Operating Temperature	-20°C to +45°C
IP Rating	IP40
Class	Class 2
Beam Angle	120°
Approvals & Certificates	SAA, EMC (Driver Only)
LED Lifetime	40,000hrs
Includes	1m Flex & Plug
Flicker Free	Yes
Overall Dimensions (HxWxD)	1195 x 595 x 9mm

P123 / GARCIA DUAL COLOUR LED PANEL

FEATURES

- Dual Colour (4000K/5700K)
- PMMA Light Guide Plate
- CRI 80+
- 120° Beam Angle
- 5 Year Warranty

P123	
Finish Colour	White
Lumen Output	3000-3300lm
Power	33W
Efficacy	100lm/W
Input Voltage	220-240V AC
Color Temperature	4000K/5700K
Dimming	No
UGR	22
CRI	80+
Construction Material	Aluminium
Operating Temperature	-20°C to +45°C
IP Rating	IP40
Class	Class 2
Beam Angle	120°
Approvals & Certificates	SAA, EMC (Driver Only)
LED Lifetime	40,000hrs
Includes	1m Flex & Plug
Flicker Free	Yes
Overall Dimensions (HxWxD)	1195 x 295 x 9mm