

HOGAN




PRODUCT SPECIFICATION

Code	Power (W)	Lumens Output	Colour Temp (k)	Dimensions (mm)	Weight (kg)	Colour
FP2005	200	25,300	5000	507 x 367 x 244	9	Black
FP2505	250	31,050	5000	567 x 367 x 244	9	Black
FP3005	300	37,950	5000	567 x 367 x 244	10.5	Black
FP3505	350	42,550	5000	533 x 621 x 384	17.5	Black
FP4005	400	50,600	5000	533 x 621 x 384	18	Black
FP5005	500	63,250	5000	593 x 621 x 384	21	Black
FP6005	600	71,300	5000	593 x 621 x 384	21.5	Black
FP8005	800	101,200	5000	833 x 621 x 384	29	Black
FP10005	1000	126,500	5000	723 x 724 x 478	38	Black


COMMON SPECIFICATION

IP Rating	IP65	Projected Life (hrs)	50,000W
Operating Temperature	-40°C ~ +45°C	Driver Make	Meanwell / Inventronics
Warranty	5 year	Electrical Class	I
Square Beam Angle	85°x135°	Material	aluminium
System Efficacy	135 to 143lm/W (depends on optics)	Finish	black powder coated (customised RAL colour available upon request)


DIMENSIONS





FP2005




FP2505




FP3005




FP3505





FP4005




FP5005




FP8005




FP10005




PHOTOMETRICS




30°x30°




45°x45°




60°x60°




75°x75°




85°x135°



85°x45°



85°x90°



60°x135°