


VST1 / DIAZ STEP LIGHTS



FEATURES

- IP44
- 50,000 Lifetime Hours
- 3 Year Warranty
- White Gloss Finish
- Matches Urban switchgear range aesthetic

Luminous Intensity Distribution Diagrams



VST1 (3000K)

VST1

Power	3W
Lumen Output	56lm
Input Voltage	220-240V AC
Efficacy	20lm/W
Beam Angle	90°
Color Temperature	3000K
CRI	80+
ICF/ IC-4 Tested	Yes
Approvals & Certificates	SAA
Operating Temperature	-20°C to +40°C
Class	Class 1
IP Rating	IP44 (Front Only)
Dimming	Yes
LED Lifetime	50,000hrs
Construction Material	Polycarbonate

FITTING DIMENSIONS

Fasica Size (HxW)	116 x 78mm
Overall Size (HxWxD)	108 x 56 x 52.5mm


VST1B / DIAZ STEP LIGHTS



FEATURES

- IP44
- 50,000 Lifetime Hours
- 3 Year Warranty
- Black Metal with Square Corners
- Matches Urban switchgear range aesthetic

Luminous Intensity Distribution Diagrams



VST1B (3000K)

VST1B

Power	3W
Lumen Output	18lm
Input Voltage	220-240V AC
Efficacy	6lm/W
Beam Angle	90°
Color Temperature	3000K
CRI	80+
ICF/ IC-4 Tested	Yes
Approvals & Certificates	SAA
Operating Temperature	-20°C to +40°C
Class	Class 1
IP Rating	IP44 (Front Only)
Dimming	Yes
LED Lifetime	50,000hrs
Construction Material	Polycarbonate Body

FITTING DIMENSIONS

Fasica Size (HxW)	116 x 78mm
Overall Size (HxWxD)	108 x 56 x 52.5mm


VST1M / DIAZ STEP LIGHTS



FEATURES

- IP44
- 50,000 Lifetime Hours
- 3 Year Warranty
- White Satin Finish with Rounded Corners
- Matches Metro switchgear range aesthetic


Luminous Intensity Distribution Diagrams



VST1M (3000K)

VST1M	
Power	3W
Lumen Output	38lm
Input Voltage	220-240V AC
Efficacy	13lm/W
Beam Angle	90°
Color Temperature	3000K
CRI	80+
ICF/ IC-4 Tested	Yes
Approvals & Certificates	SAA
Operating Temperature	-20°C to +40°C
Class	Class 1
IP Rating	IP44 (Front Only)
Dimming	Yes
LED Lifetime	50,000hrs
Construction Material	Polycarbonate
FITTING DIMENSIONS	
Fasica Size (HxW)	120 x 82mm
Overall Size (HxWxD)	108 x 56 x 52.5mm


VST1MB / DIAZ STEP LIGHTS



FEATURES

- IP44
- 50,000 Lifetime Hours
- 3 Year Warranty
- Black Satin Finish with Rounded Corners
- Matches Metro switchgear range aesthetic

Luminous Intensity Distribution Diagrams



VST1MB (3000K)

VST1MB

Power	3W
Lumen Output	16lm
Input Voltage	220-240V AC
Efficacy	5lm/W
Beam Angle	90°
Color Temperature	3000K
CRI	80+
ICF/ IC-4 Tested	Yes
Approvals & Certificates	SAA
Operating Temperature	-20°C to +40°C
Class	Class 1
IP Rating	IP44 (Front Only)
Dimming	Yes
LED Lifetime	50,000hrs
Construction Material	Polycarbonate

FITTING DIMENSIONS

Face Size (HxW)	120 x 82mm
Overall Size (HxWxD)	108 x 56 x 52.5mm